

Hole-ID	Location			Final	Planned Collar	
	Easting	Northing	Elevation	Length	Azimuth	Dip
WC-20-001	465075.83	5361638.98	292.43	171.0	180	-50
WC-20-002	465075.82	5361639.63	292.24	282.0	180	-81
WC-20-003	465008.53	5361697.06	290.88	225.0	171	-45
WC-20-004	464925.39	5361605.82	292.36	222.0	180	-54
WC-20-005	464925.36	5361674.59	292.46	240.0	180	-54
WC-20-006	464775.18	5361647.79	292.30	240.0	180	-50
WC-20-007	464775.59	5361694.94	292.44	300.0	180	-58
WC-20-008	464625.32	5361780.02	291.99	150.0	180	-45
WC-20-009	464575.24	5361687.98	292.94	144.0	180	-45
WC-20-010	464574.27	5361709.44	292.61	201.0	180	-50
WC-20-011	464529.90	5361703.96	292.55	90.0	180	-57
WC-20-012	464480.53	5361478.69	292.98	72.0	180	-49
WC-20-013	464423.12	5361357.56	293.27	90.0	180	-45
WC-20-014	464423.91	5361420.04	293.20	156.0	180	-45
WC-20-015	464424.25	5361478.59	293.21	232.0	180	-45
WC-20-016	464374.24	5361349.89	293.44	75.0	180	-50
WC-20-017	464371.40	5361400.90	293.22	131.0	180	-48
WC-20-018	464370.88	5361443.67	293.26	192.0	180	-48
WC-20-019	464325.95	5361345.42	293.42	87.0	180	-45
WC-20-020	464326.13	5361381.65	293.44	117.0	180	-46
WC-20-021	464326.15	5361382.09	293.46	141.0	180	-61
WC-20-022	464324.31	5361414.93	293.21	201.0	180	-60
WC-20-023	464275.44	5361350.72	293.52	75.0	180	-45
WC-20-024	464274.13	5361407.19	293.36	150.0	180	-46
WC-20-025	464227.62	5361335.68	293.54	75.0	180	-55
WC-20-026	464226.28	5361397.58	293.56	141.0	180	-55
WC-20-027	464175.44	5361354.45	293.73	294.0	180	-46
WC-20-028	464171.17	5361398.06	293.60	132.0	180	-46
WC-20-029	464171.12	5361398.70	293.59	138.0	180	-64
WC-20-030	464127.12	5361348.97	293.83	261.0	180	-48
WC-20-031	464125.40	5361404.34	293.84	315.0	180	-45
WC-20-032	464124.98	5361432.64	293.75	162.0	180	-51
WC-20-033	464127.14	5361470.98	293.75	204.0	180	-51
WC-20-034	464176.41	5361491.43	293.43	294.0	180	-60
WC-20-035	464225.93	5361437.33	293.42	240.0	180	-55
WC-20-036	464225.94	5361436.98	293.41	141.0	180	-71
WC-20-037	464225.14	5361254.20	293.63	180.0	180	-48
WC-20-038	464274.42	5361456.42	294.93	204.4	180	-48
WC-20-039	464274.41	5361456.72	294.82	159.0	180	-71
WC-20-040	464324.44	5361448.73	293.26	250.5	180	-60
WC-20-041	464326.79	5361492.43	293.23	315.0	180	-60
WC-20-042	464071.04	5361361.59	294.02	300.0	180	-50
WC-20-043	464373.15	5361484.20	293.17	252.0	180	-48
WC-20-044	464376.44	5361535.90	293.29	321.0	180	-48
WC-20-045	464024.83	5361297.23	294.01	240.0	180	-50
WC-20-046	464423.15	5361449.46	293.09	204.0	180	-45
WC-20-047	464423.39	5361526.04	293.17	291.0	180	-46
WC-20-048	464476.50	5361388.27	293.18	141.0	180	-50
WC-20-048	464476.50	5361388.27	293.18	141.0	180	-50
WC-20-049	464473.44	5361436.90	293.08	201.0	180	-50

Hole-ID	Location			Final	Planned Collar	
	Easting	Northing	Elevation	Length	Azimuth	Dip
WC-20-050	464477.21	5361526.89	292.83	312.0	180	-50
WC-20-051	463951.59	5361316.44	294.20	252.0	180	-52
WC-20-052	463950.22	5361376.89	294.07	303.0	180	-52
WC-20-053	464128.35	5361251.14	293.85	222.0	180	-46
WC-20-054	464123.92	5361300.07	293.82	318.0	180	-46
WC-20-055	464472.76	5361573.82	293.03	285.0	180	-50
WC-20-058	464473.68	5361721.71	292.54	360.0	180	-50
WC-20-061	464574.79	5361862.42	291.98	300.00	180	-50
WC-20-065	464723.33	5361792.78	292.51	375.00	180	-46
WC-20-066	464726.14	5361846.41	292.55	432.00	180	-46
WC-20-067	464774.34	5361830.81	292.72	183.00	180	-55
WC-20-068	464825.00	5361890.00	295.00	402.0	180	-58
WC-20-069	464875.00	5361870.00	294.00	408.0	180	-48
WC-20-070	464812.99	5361677.66	291.92	282.0	180	-52
WC-20-071	464724.43	5361722.01	291.94	300.0	180	-46
WC-20-072	464875.00	5361630.00	295.00	207.0	180	-45
WC-20-073	464877.98	5361716.33	292.51	300.0	180	-52
WC-20-074	464875.00	5361580.00	294.00	162.0	180	-45
WC-20-075	464125.00	5361252.00	294.00	456.0	180	-48
WC-20-076	464125.00	5361202.00	294.00	240.0	180	-48
WC-20-077	464075.00	5361160.00	294.00	528.0	180	-48
WC-20-078	464075.00	5361210.00	295.00	525.0	180	-48
WC-20-079	464075.00	5361260.00	295.00	240.0	180	-48
WC-20-080	464077.30	5361301.22	294.04	252.0	180	-48
WC-20-081	464075.00	5361410.00	295.00	324.0	180	-48
WC-20-082	464074.17	5361451.46	293.91	342.0	180	-48
WC-20-091	464774.26	5361566.01	292.09	149.9	180	-45
WC-20-095	464107.35	5361412.29	293.85	351.0	180	-53
WC-20-097	464024.84	5361346.27	294.03	285.0	180	-50
WC-21-099	464175.00	5361195.00	293.62	132.0	180	-48
WC-21-113	465124.85	5361818.00	292.19	201.0	180	-50
WC-21-114	465125.85	5361779.03	292.58	219.0	180	-50
WC-21-115	464147.00	5361168.00	294.00	102.0	180	-48
WC-21-116	464175.00	5361165.00	294.18	99.0	180	-48
WC-21-117	464199.00	5361164.00	294.00	102.0	180	-48
WC-21-119	464049.38	5361485.36	294.00	375.0	180	-51
WC-21-125	465074.16	5361796.44	292.37	144.0	180	-50
WC-21-126	465126.00	531721.09	288.61	226.5	180	-50
WC-21-128	465174.46	5361806.43	291.90	180.0	180	-50
WC-21-129	465179.38	5361773.48	292.41	162.0	180	-50
WC-21-135	465226.05	5361844.42	292.65	201.0	180	-50
WC-21-149	464225.83	5361167.85	293.53	120.00	180	-48
WC-21-172	464100.50	5361350.52	293.71	261.0	180	-48
WC-21-173	464143.37	5361156.89	293.68	90.00	180	-48
WC-21-174	464050.00	5361335.00	294.00	249.0	180	-48
WC-21-191	464101.42	5361301.75	293.62	231.0	180	-46

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-001	63.0	64.5	1.5	3.69
WC-20-001	82.5	84.0	1.5	2.18
WC-20-001	107.0	108.0	1.0	2.59
WC-20-001	112.5	114.0	1.5	2.52
WC-20-002	63.0	64.5	1.5	1.02
WC-20-002	120.0	121.5	1.5	3.35
WC-20-002	123.0	124.5	1.5	2.13
WC-20-002	126.0	127.5	1.5	2.24
WC-20-002	175.5	177.0	1.5	1.44
WC-20-002	220.8	222.0	1.2	1.01
WC-20-002	234.0	234.7	0.7	1.92
WC-20-003	92.8	94.5	1.7	3.51
WC-20-003	152.0	153.0	1.0	7.23
WC-20-003	191.3	192.0	0.7	5.54
WC-20-003	216.0	217.0	1.0	1.57
WC-20-004	59.0	60.0	1.0	2.45
WC-20-004	105.5	107.0	1.5	1.90
WC-20-005	84.4	85.5	1.1	1.87
WC-20-005	85.5	87.0	1.5	3.96
WC-20-005	87.0	88.5	1.5	2.97
WC-20-005	174.0	175.5	1.5	8.05
WC-20-005	175.5	177.0	1.5	2.07
WC-20-005	184.5	186.0	1.5	1.35
WC-20-005	186.0	187.5	1.5	2.23
WC-20-005	194.0	195.5	1.5	1.79
WC-20-006	93.0	94.5	1.5	1.00
WC-20-006	94.5	95.5	1.0	5.15
WC-20-006	192.5	194.0	1.5	2.57
WC-20-007	97.5	98.8	1.3	1.64
WC-20-007	129.0	130.0	1.0	2.36
WC-20-007	134.5	135.5	1.0	14.70
WC-20-007	165.0	166.0	1.0	6.01
WC-20-007	166.0	167.0	1.0	1.11
WC-20-007	171.0	172.0	1.0	1.71
WC-20-008	97.5	99.0	1.5	1.73
WC-20-008	133.5	135.0	1.5	3.17
WC-20-008	145.5	147.0	1.5	1.03

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-009	124.5	126.0	1.5	1.57
WC-20-009	132.0	133.5	1.5	1.01
WC-20-010	70.5	72.0	1.5	3.03
WC-20-011	No Assays Results > 1 g/t Au			
WC-20-012	No Assays Results > 1 g/t Au			
WC-20-013	No Assays Results > 1 g/t Au			
WC-20-014	72.0	73.5	1.5	18.80
WC-20-014	73.5	75.0	1.5	1.97
WC-20-014	141.0	142.5	1.5	1.93
WC-20-015	105.0	106.5	1.5	2.39
WC-20-015	123.9	125.4	1.5	5.89
WC-20-015	136.5	138.0	1.5	2.16
WC-20-016	No Assays Results > 1 g/t Au			
WC-20-017	53.2	54.0	0.8	31.40
WC-20-017	54.0	55.0	1.0	1.09
WC-20-017	64.5	66.0	1.5	3.29
WC-20-018	94.5	96.0	1.5	2.23
WC-20-019	64.5	66.0	1.5	1.47
WC-20-019	72.0	73.5	1.5	1.16
WC-20-020	31.0	33.0	2.0	7.11
WC-20-020	114.0	115.5	1.5	2.18
WC-20-021	19.5	21.0	1.5	2.16
WC-20-021	34.5	36.0	1.5	5.57
WC-20-021	36.0	37.5	1.5	4.63
WC-20-021	39.0	40.5	1.5	1.04
WC-20-022	171.0	172.0	1.0	12.00
WC-20-022	189.0	190.5	1.5	1.05
WC-20-023	No Assays Results > 1 g/t Au			
WC-20-024	39.0	40.5	1.5	2.61
WC-20-024	55.5	57.0	1.5	3.53
WC-20-024	58.5	60.0	1.5	4.26

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-024	60.0	61.5	1.5	2.22
WC-20-024	94.5	96.0	1.5	1.55
WC-20-024	124.5	126.0	1.5	1.82
WC-20-025	54.0	55.5	1.5	9.92
WC-20-026	114.0	115.5	1.5	1.68
WC-20-027	36.0	37.5	1.5	5.79
WC-20-027	183.0	184.5	1.5	1.88
WC-20-027	239.7	240.7	1.0	1.32
WC-20-027	253.5	255.0	1.5	2.21
WC-20-028	77.0	78.0	1.0	3.10
WC-20-028	83.5	84.5	1.0	2.28
WC-20-028	87.5	88.5	1.0	1.02
WC-20-028	90.1	91.5	1.4	2.64
WC-20-029	75.0	76.0	1.0	1.02
WC-20-029	108.5	110.0	1.5	1.01
WC-20-029	134.0	135.5	1.5	1.15
WC-20-030	34.9	36.0	1.1	1.08
WC-20-030	63.0	64.5	1.5	2.84
WC-20-030	130.5	132.0	1.5	1.69
WC-20-030	213.0	214.5	1.5	1.26
WC-20-030	214.5	216.0	1.5	1.10
WC-20-030	234.0	235.0	1.0	18.70
WC-20-030	235.0	236.0	1.0	16.10
WC-20-030	236.0	237.0	1.0	9.45
WC-20-030	237.0	237.5	0.5	1.32
WC-20-030	237.5	238.5	1.0	2.58
WC-20-030	238.5	240.0	1.5	6.09
WC-20-030	240.0	241.2	1.2	3.83
WC-20-030	241.2	242.4	1.2	1.44
WC-20-030	242.4	243.7	1.3	6.85
WC-20-031	49.5	51.0	1.5	3.66
WC-20-031	274.5	276.0	1.5	5.59
WC-20-031	276.0	277.0	1.0	3.56
WC-20-031	277.0	278.0	1.0	9.37
WC-20-031	278.0	279.0	1.0	10.80
WC-20-031	279.0	280.0	1.0	1.71
WC-20-031	280.0	281.0	1.0	4.23
WC-20-031	281.0	282.0	1.0	4.85
WC-20-031	282.0	283.0	1.0	7.03

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-032	100.5	102.0	1.6	1.17
WC-20-032	124.5	126.0	1.5	1.40
WC-20-033	132.0	133.5	1.5	2.72
WC-20-034	94.5	96.0	1.5	2.81
WC-20-034	232.5	234.0	1.5	1.57
WC-20-034	235.5	237.0	1.5	1.14
WC-20-035	22.5	24.0	1.5	1.10
WC-20-035	31.5	33.0	1.5	1.78
WC-20-035	33.0	34.5	1.5	5.40
WC-20-035	52.5	54.0	1.5	2.11
WC-20-035	97.5	99.0	1.5	1.66
WC-20-035	136.0	137.5	1.5	3.76
WC-20-035	182.1	183.0	0.9	1.10
WC-20-035	227.2	228.2	1.0	4.11
WC-20-036	34.5	36.0	1.5	8.75
WC-20-036	42.0	43.5	1.5	4.06
WC-20-036	43.5	45.0	1.5	1.10
WC-20-036	73.5	75.0	1.5	2.11
WC-20-037	68.7	70.5	1.8	1.54
WC-20-037	167.7	168.7	1.0	2.80
WC-20-038	115.5	117.0	1.5	5.57
WC-20-038	148.5	150.0	1.5	1.03
WC-20-038	201.0	202.5	1.5	5.09
WC-20-039	108.0	109.5	1.5	2.41
WC-20-039	111.0	112.5	1.5	2.26
WC-20-039	118.5	120.0	1.5	1.02
WC-20-039	136.5	138.0	1.5	1.14
WC-20-040	51.0	52.5	1.5	1.83
WC-20-040	102.0	103.5	1.5	1.88
WC-20-040	103.5	105.0	1.5	3.00
WC-20-040	154.0	155.1	1.1	1.17
WC-20-040	211.5	213.0	1.5	1.71
WC-20-040	222.0	223.7	1.7	2.78
WC-20-040	249.0	250.5	1.5	1.70
WC-20-041	135.0	136.5	1.5	2.87
WC-20-041	195.0	196.5	1.5	1.89

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-041	241.5	243.0	1.5	5.13
WC-20-041	243.0	244.5	1.5	3.72
WC-20-041	244.5	246.0	1.5	3.64
WC-20-041	258.0	259.5	1.5	1.42
WC-20-041	285.0	286.5	1.5	1.09
WC-20-042	96.0	97.5	1.5	1.03
WC-20-042	233.0	234.0	1.0	1.56
WC-20-042	237.0	238.0	1.0	5.01
WC-20-042	238.0	238.9	0.9	2.75
WC-20-042	238.9	239.8	0.9	5.54
WC-20-042	239.8	240.9	1.1	9.31
WC-20-042	240.9	241.9	1.0	8.17
WC-20-042	241.9	243.1	1.2	9.09
WC-20-042	243.1	244.0	0.9	4.66
WC-20-042	244.0	244.8	0.8	5.04
WC-20-042	244.8	245.7	0.9	8.19
WC-20-042	245.7	246.7	1.0	12.90
WC-20-042	246.7	247.7	1.0	9.27
WC-20-042	248.7	250.0	1.3	1.15
WC-20-042	250.0	251.2	1.2	1.10
WC-20-043	229.5	231.0	1.5	2.13
WC-20-043	231.0	232.5	1.5	2.04
WC-20-044	175.5	177.0	1.5	4.98
WC-20-044	180.0	181.5	1.5	1.05
WC-20-044	199.5	201.0	1.5	2.18
WC-20-044	259.5	261.0	1.5	2.73
WC-20-045	66.0	67.5	1.5	2.70
WC-20-045	165.5	166.5	1.0	1.60
WC-20-045	166.5	168.0	1.5	3.11
WC-20-045	189.0	190.0	1.0	4.85
WC-20-045	190.0	191.0	1.0	1.75
WC-20-045	191.0	192.0	1.0	1.51
WC-20-045	192.0	193.0	1.0	3.58
WC-20-046	86.5	88.0	1.5	1.64
WC-20-046	197.0	198.5	1.5	1.51
WC-20-047	196.5	198.0	1.5	1.64
WC-20-048	No Assays Results > 1 g/t Au			
WC-20-049	31.5	33.0	1.5	1.22

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-049	61.5	63.0	1.5	2.08
WC-20-049	159.0	160.5	1.5	1.09
WC-20-049	166.5	168.0	1.5	2.06
WC-20-049	177.0	178.5	1.5	1.45
WC-20-049	199.5	201.0	1.5	4.28
WC-20-050	138.0	139.0	1.0	3.32
WC-20-050	157.0	158.0	1.0	26.50
WC-20-051	No Assays Results > 1 g/t Au			
WC-20-052	No Assays Results > 1 g/t Au			
WC-20-053	148.0	149.0	1.0	7.53
WC-20-053	149.0	150.0	1.0	2.63
WC-20-053	150.0	151.0	1.0	1.68
WC-20-053	151.0	152.0	1.0	3.24
WC-20-053	152.0	153.0	1.0	4.37
WC-20-053	153.0	154.0	1.0	2.06
WC-20-053	154.0	155.0	1.0	1.71
WC-20-053	155.0	156.0	1.0	1.24
WC-20-053	192.0	193.0	1.0	1.34
WC-20-054	184.5	186.0	1.5	1.31
WC-20-054	186.0	187.5	1.5	1.62
WC-20-054	190.0	191.0	1.0	4.60
WC-20-054	191.0	192.0	1.0	4.67
WC-20-054	192.0	193.5	1.5	2.53
WC-20-054	193.5	195.0	1.5	1.55
WC-20-054	195.0	196.5	1.5	2.27
WC-20-054	196.5	198.0	1.5	1.48
WC-20-054	199.5	201.0	1.5	2.86
WC-20-054	308.0	309.0	1.0	3.11
WC-20-055	73.0	74.0	1.0	1.11
WC-20-055	74.0	75.0	1.0	3.06
WC-20-055	208.0	209.0	1.0	1.07
WC-20-058	244.5	246.0	1.5	9.82
WC-20-058	337.0	338.0	1.0	4.29
WC-20-061	174.0	174.7	0.7	5.05
WC-20-061	174.7	176.0	1.3	1.03
WC-20-061	190.5	191.5	1.0	2.03
WC-20-061	209.5	211.0	1.5	9.98
WC-20-061	211.0	212.0	1.0	2.78



Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-065	63.0	64.5	1.5	2.34
WC-20-065	103.5	105.0	1.5	7.33
WC-20-065	175.5	177.0	1.5	1.06
WC-20-065	177.0	178.5	1.5	4.39
WC-20-065	244.5	246.0	1.5	5.22
WC-20-065	256.5	258.0	1.5	1.51
WC-20-065	270.0	271.0	1.0	5.94
WC-20-065	271.0	272.0	1.0	1.12
WC-20-065	344.0	345.0	1.0	2.95
WC-20-066	116.5	118.0	1.5	1.12
WC-20-066	225.0	226.0	1.0	1.02
WC-20-066	226.0	227.0	1.0	1.61
WC-20-066	304.0	305.0	1.0	3.05
WC-20-066	305.0	306.0	1.0	1.09
WC-20-066	308.0	309.0	1.0	1.81
WC-20-066	331.0	332.0	1.0	1.87
WC-20-066	385.5	387.0	1.5	1.30
WC-20-066	409.5	411.0	1.5	6.68
WC-20-067	130.0	131.0	1.0	7.90
WC-20-067	136.5	138.0	1.5	2.19
WC-20-068	175.0	176.0	1.0	7.40
WC-20-068	180.0	181.0	1.0	2.44
WC-20-068	181.0	182.0	1.0	1.10
WC-20-068	315.0	316.0	1.0	7.20
WC-20-068	322.0	323.0	1.0	9.20
WC-20-068	352.0	353.0	1.0	2.17
WC-20-068	354.0	355.0	1.0	3.94
WC-20-068	356.0	357.0	1.0	1.70
WC-20-068	375.5	377.0	1.5	1.56
WC-20-069	172.5	174.0	1.5	2.20
WC-20-069	247.5	249.0	1.5	1.43
WC-20-069	252.0	253.5	1.5	9.82
WC-20-069	297.0	298.5	1.5	1.01
WC-20-069	321.0	322.5	1.5	4.05
WC-20-069	372.0	373.5	1.5	2.32
WC-20-069	382.5	384.0	1.5	2.15
WC-20-070	103.5	104.5	1.0	1.75
WC-20-070	122.0	123.0	1.0	1.45
WC-20-070	132.0	133.0	1.0	3.80
WC-20-070	149.0	150.0	1.0	1.42

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-070	216.0	217.0	1.0	13.60
WC-20-071	30.0	31.5	1.5	2.73
WC-20-071	67.5	69.0	1.5	3.29
WC-20-071	144.0	145.5	1.5	1.63
WC-20-071	174.0	175.5	1.5	12.60
WC-20-071	177.0	178.5	1.5	1.51
WC-20-072	134.0	135.0	1.0	1.60
WC-20-072	137.0	138.0	1.0	1.23
WC-20-072	139.0	140.0	1.0	1.11
WC-20-072	144.0	145.0	1.0	2.49
WC-20-072	145.0	146.0	1.0	2.40
WC-20-072	146.0	147.0	1.0	1.20
WC-20-072	147.0	148.0	1.0	9.40
WC-20-072	148.0	149.2	1.2	1.26
WC-20-072	150.5	152.2	1.7	1.01
WC-20-073	40.5	42.0	1.5	1.86
WC-20-073	87.4	88.3	0.9	7.21
WC-20-073	210.0	211.5	1.5	1.02
WC-20-073	235.5	236.5	1.0	27.00
WC-20-074	77.0	78.0	1.0	1.05
WC-20-074	78.0	79.5	1.5	1.83
WC-20-074	82.5	84.0	1.5	1.61
WC-20-074	90.0	91.5	1.5	1.32
WC-20-074	93.0	94.0	1.0	1.35
WC-20-074	95.0	96.5	1.5	1.24
WC-20-074	96.5	98.0	1.5	1.11
WC-20-075	54.0	55.0	1.0	3.69
WC-20-075	55.0	56.0	1.0	14.70
WC-20-075	56.0	57.0	1.0	7.04
WC-20-075	70.5	72.0	1.5	3.26
WC-20-075	184.0	185.5	1.5	1.15
WC-20-075	189.0	190.5	1.5	1.60
WC-20-076	102.8	103.8	1.0	2.00
WC-20-076	108.8	110.0	1.3	2.15
WC-20-077	58.9	60.0	1.1	1.31
WC-20-077	60.0	61.5	1.5	1.05
WC-20-077	214.0	215.2	1.2	1.24
WC-20-078	108.0	109.0	1.0	1.61

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-079	155.0	156.0	1.0	1.07
WC-20-079	161.0	162.0	1.0	1.71
WC-20-079	162.0	163.0	1.0	6.43
WC-20-079	163.0	164.0	1.0	3.52
WC-20-079	164.0	165.0	1.0	4.23
WC-20-080	185.0	186.0	1.0	6.03
WC-20-080	190.0	191.0	1.0	13.00
WC-20-080	191.0	192.0	1.0	6.03
WC-20-080	192.0	193.0	1.0	4.83
WC-20-080	193.0	194.0	1.0	19.70
WC-20-080	194.0	195.0	1.0	7.51
WC-20-080	195.0	196.0	1.0	4.76
WC-20-080	196.0	197.0	1.0	6.46
WC-20-080	197.0	198.0	1.0	8.71
WC-20-080	198.0	199.0	1.0	2.98
WC-20-081	51.0	52.5	1.5	1.47
WC-20-081	117.0	118.5	1.5	1.04
WC-20-081	136.5	138.0	1.5	1.14
WC-20-081	243.0	244.5	1.5	1.06
WC-20-081	265.5	267.0	1.5	3.53
WC-20-081	268.5	270.0	1.5	1.06
WC-20-081	270.0	271.5	1.5	2.65
WC-20-081	276.0	277.0	1.0	1.01
WC-20-081	277.0	278.0	1.0	8.03
WC-20-081	278.0	279.0	1.0	7.52
WC-20-081	279.0	280.0	1.0	14.60
WC-20-081	280.0	281.0	1.0	9.47
WC-20-081	281.0	282.0	1.0	4.53
WC-20-081	282.0	283.0	1.0	8.13
WC-20-081	283.0	284.0	1.0	9.04
WC-20-081	284.0	285.0	1.0	12.30
WC-20-081	285.0	286.0	1.0	12.20
WC-20-082	310.0	311.0	1.0	2.98
WC-20-082	311.0	312.0	1.0	4.09
WC-20-082	312.0	313.0	1.0	12.20
WC-20-082	313.0	314.0	1.0	11.50
WC-20-082	314.0	315.0	1.0	29.60
WC-20-082	315.0	316.0	1.0	12.40
WC-20-082	316.0	317.0	1.0	7.66
WC-20-082	317.0	318.0	1.0	2.76
WC-20-082	318.0	319.0	1.0	2.68
WC-20-082	319.0	320.0	1.0	8.13

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-20-082	329.0	330.0	1.0	2.60
WC-20-082	336.0	337.5	1.5	1.20
WC-20-091	95.0	96.5	1.5	1.28
WC-20-091	119.0	120.5	1.5	14.00
WC-20-091	129.5	131.0	1.5	2.11
WC-20-095	290.0	291.0	1.0	3.29
WC-20-095	291.0	292.0	1.0	3.94
WC-20-095	292.0	293.0	1.0	15.00
WC-20-095	295.0	296.0	1.0	1.72
WC-20-095	297.0	298.0	1.0	2.29
WC-20-095	301.0	302.0	1.0	4.21
WC-20-097	224.0	225.0	1.0	1.10
WC-20-097	225.0	226.0	1.0	11.80
WC-20-097	226.0	227.0	1.0	2.85
WC-20-097	228.0	229.5	1.5	2.56
WC-20-097	229.5	231.0	1.5	5.21
WC-20-097	231.0	232.0	1.0	34.00
WC-20-097	232.0	233.0	1.0	9.77
WC-20-097	233.0	234.0	1.0	5.07
WC-21-099	96.5	97.5	1.0	1.61
WC-21-099	97.5	98.5	1.0	6.56
WC-21-099	103.5	104.5	1.0	1.24
WC-21-113	118.5	120.0	1.5	8.49
WC-21-113	120.0	121.5	1.5	1.94
WC-21-114	60.0	61.5	1.5	2.12
WC-21-114	63.0	64.5	1.5	2.47
WC-21-114	75.0	76.5	1.5	1.07
WC-21-114	76.5	78.0	1.5	3.52
WC-21-115	75.0	76.0	1.0	1.50
WC-21-115	76.0	77.0	1.0	19.50
WC-21-115	77.0	78.0	1.0	9.37
WC-21-115	78.0	79.0	1.0	21.50
WC-21-115	79.0	80.0	1.0	13.00
WC-21-115	80.0	81.0	1.0	2.65
WC-21-116	69.0	70.0	1.0	1.28
WC-21-116	70.0	71.0	1.0	4.93
WC-21-116	71.0	72.0	1.0	2.02
WC-21-116	72.0	73.0	1.0	5.42

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-21-116	73.0	74.0	1.0	7.10
WC-21-116	74.0	75.0	1.0	1.10
WC-21-116	75.0	76.0	1.0	2.76
WC-21-116	91.5	93.0	1.5	1.13
WC-21-116	93.0	94.0	1.0	2.56
WC-21-117	67.5	68.5	1.0	1.70
WC-21-117	68.5	69.5	1.0	1.10
WC-21-117	70.0	71.0	1.0	3.17
WC-21-117	75.0	76.0	1.0	3.25
WC-21-117	76.0	77.0	1.0	3.87
WC-21-117	78.0	79.0	1.0	1.78
WC-21-117	79.0	80.0	1.0	2.64
WC-21-117	84.0	85.0	1.0	2.10
WC-21-119	349.0	350.0	1.0	1.40
WC-21-119	358.0	359.0	1.0	5.05
WC-21-119	359.0	360.0	1.0	10.80
WC-21-119	364.5	366.0	1.5	4.90
WC-21-125	40.5	42.0	1.5	1.45
WC-21-125	103.5	105.15	1.65	2.22
WC-21-125	126.0	127.5	1.5	1.15
WC-21-125	127.5	129.0	1.5	1.47
WC-21-126	127.65	129.0	1.35	6.38
WC-21-126	173.0	174.51	1.51	1.08
WC-21-128	73.5	75.0	1.5	1.40
WC-21-128	111.0	112.5	1.5	5.66
WC-21-129	75.0	76.5	1.5	1.75
WC-21-129	85.5	87.0	1.5	6.04
WC-21-135	81.0	82.5	1.5	2.17
WC-21-135	108.0	109.0	1.5	2.08
WC-21-135	109.0	110.0	1.0	2.11
WC-21-135	115.0	116.0	1.0	2.74
WC-21-135	136.5	138.0	1.5	1.50
WC-21-135	151.0	152.15	1.15	7.55
WC-21-135	154.5	156.0	1.5	1.72
WC-21-135	156.0	157.0	1.0	1.03
WC-21-135	157.0	158.0	1.0	1.73
WC-21-149	71.9	73.0	1.1	4.31
WC-21-149	73.0	74.0	1.0	1.92

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-21-149	94.5	96.0	1.5	1.61
WC-21-149	100.5	102.0	1.5	
WC-21-172	230.0	231.0	1.0	1.84
WC-21-172	231.0	232.0	1.0	12.70
WC-21-172	232.0	233.0	1.0	7.43
WC-21-172	233.0	234.0	1.0	9.98
WC-21-172	234.0	235.0	1.0	14.90
WC-21-172	235.0	236.0	1.0	9.83
WC-21-172	236.0	237.0	1.0	7.14
WC-21-172	237.0	238.0	1.0	7.25
WC-21-172	238.0	239.0	1.0	2.42
WC-21-172	239.0	240.0	1.0	2.77
WC-21-172	240.0	241.0	1.0	1.05
WC-21-172	241.0	242.0	1.0	3.76
WC-21-172	242.0	243.0	1.0	1.11
WC-21-172	243.0	244.0	1.0	6.15
WC-21-172	244.0	245.0	1.0	3.14
WC-21-173	63.6	64.6	1.0	28.00
WC-21-173	64.6	65.6	1.0	4.95
WC-21-173	65.6	66.6	1.0	10.30
WC-21-173	66.6	67.6	1.0	9.50
WC-21-173	67.6	68.6	1.0	1.24
WC-21-173	68.6	69.6	1.0	2.23
WC-21-174	211.0	212.0	1.0	1.38
WC-21-174	212.0	213.0	1.0	3.28
WC-21-174	213.0	214.0	1.0	5.62
WC-21-174	214.0	215.0	1.0	3.65
WC-21-174	216.0	217.0	1.0	1.25
WC-21-174	217.0	218.0	1.0	4.14
WC-21-174	218.0	219.0	1.0	22.00
WC-21-174	219.0	220.0	1.0	14.80
WC-21-174	220.0	221.0	1.0	9.73
WC-21-174	221.0	222.0	1.0	4.25
WC-21-174	222.0	223.0	1.0	31.90
WC-21-174	223.0	224.04	1.04	5.19
WC-21-191	188.0	189.0	1.0	2.47
WC-21-191	189.0	190.0	1.0	8.40
WC-21-191	190.0	191.0	1.0	1.76
WC-21-191	191.0	192.0	1.0	4.25
WC-21-191	192.0	193.0	1.0	7.95
WC-21-191	193.0	194.0	1.0	19.70
WC-21-191	194.0	195.0	1.0	3.62

Hole-ID	From (m)	To (m)	Length (m)	Au (g/t)
WC-21-191	197.0	198.5	1.5	2.32